

JACKSON ENERGY AUTHORITY

OUTDOOR LIGHTING RATE--SCHEDULE LS

(August 1, 2010)

Availability

Available for service to street and park lighting systems, traffic signal systems, athletic field lighting installations, and outdoor lighting for individual customers.

Service under this schedule is for a term of not less than one year.

Payment

Bills under this rate schedule will be rendered monthly. Any amount of bill unpaid after due date specified on bill may be subject to additional charges under Jackson Energy Authority's standard policy.

Adjustment

The energy charge in Part A and Part B of this rate schedule shall be increased or decreased in accordance with the current Adjustment Addendum published by TVA. (In addition, the energy charge in Part A and Part B of this rate schedule shall be increased or decreased to correspond to increases or decreases determined by TVA under Adjustment 2 or Adjustment 4 of the wholesale power rate schedule applicable under contractual arrangements between TVA and Jackson Energy Authority.)

PART A--CHARGES FOR STREET AND PARK LIGHTING SYSTEMS, TRAFFIC SIGNAL SYSTEMS, AND ATHLETIC FIELD LIGHTING INSTALLATIONS

	<u>Base</u>	<u>Environmental Adjustment</u>	<u>Fuel Cost Adjustment</u>	<u>Total</u>
I. Energy Charge:	5.768¢	0.201¢	0.531¢	6.500¢ per kWh per month
II. Facility Charge				

The annual facility charge shall be 12 percent of the installed cost to Jackson Energy Authority's electric system of the facilities devoted to street and park lighting service specified in this Part A. Such installed cost shall be recomputed on July 1 of each year, or more often if substantial changes in the facilities are made. Each month, one-twelfth of the then total annual facility charge shall be billed to the customer. If any part of the facilities has not been provided at the electric system's expense or if the installed cost of any portion thereof is reflected on the books of another municipality or agency or department, the annual facility charge shall be adjusted to reflect properly the remaining cost to be borne by the electric system.

Traffic signal systems and athletic field lighting installations shall be provided, owned, and maintained by and at the expense of the customer, except as Jackson Energy Authority may agree otherwise in accordance with the provisions of the paragraph next following in this Section II. The facilities necessary to provide service to such systems and installation shall be provided by and at the expense of Jackson Energy Authority's electric system, and the annual facility charge provided for first above in this

Section II shall apply to the installed cost of such facilities.

When so authorized by policy duly adopted by Jackson Energy Authority's governing board, traffic signal systems and athletic field lighting installations may be provided, owned, and maintained by Jackson Energy Authority's electric system for the customer's benefit. In such cases Jackson Energy Authority may require reimbursement from the customer for a portion of the initial installed cost of any such system or installation and shall require payment by the customer of a facility charge sufficient to cover all of Jackson Energy Authority's costs (except reimbursed costs), including appropriate overheads, of providing, owning, and maintaining such system or installation; provided that, for athletic field lighting installations, such facility charge shall in no case be less than 12 percent per year of such costs. Said facility charge shall be in addition to the annual facility charge on the facilities necessary to provide service to such system or installation as provided for in the preceding paragraph. Replacement of lamps and related glassware for traffic signal systems and athletic field lighting installations provided under this paragraph shall be paid for under the provisions of paragraph A in Section IV.

III. Customer Charge - Traffic Signal Systems and Athletic Field Lighting Installations.

Jackson Energy Authority shall apply a uniform monthly customer charge of \$3.75 for service to each traffic signal system or athletic field lighting installation.

IV. Replacement of Lamps and Related Glassware - Street and Park Lighting

Customer shall be billed and shall pay for replacements as provided in paragraph A below, which shall be applied to all service for street and park lighting.

- A. Jackson Energy Authority shall bill the customer monthly for such replacements during each month at Jackson Energy Authority's cost of materials, including appropriate storeroom expense.
- B. Jackson Energy Authority shall bill the customer monthly for one-twelfth of the amount by which Jackson Energy Authority's cost of materials, including appropriate storeroom expense, exceeds the product of 3 mills multiplied by the number of kilowatt-hours used for street and park lighting during the fiscal year immediately preceding the fiscal year in which such month occurs.

Metering

For any billing month or part of such month in which the energy is not metered or for which a meter reading is found to be in error or a meter is found to have failed, the energy for billing purposes for that billing month or part of such month shall be computed from the rated capacity of the lamps (including ballast) plus 5 percent of such capacity to reflect secondary circuit losses, multiplied by the number of hours of use.

Revenue and Cost Review

Jackson Energy Authority's costs of providing service under Part A of this rate schedule are subject to review at any time and from time to time to determine if Jackson Energy Authority's revenues from the charges being applied are sufficient to cover its costs. (Such costs, including applicable overheads, include, but are not limited to, those incurred in the operation and maintenance of the systems provided and those resulting from depreciation and payments for taxes, tax equivalents and interest.) If any such review discloses that revenues are either less or more than sufficient to cover said costs, Jackson Energy Authority shall revise the above facility charges so that revenues will be sufficient to cover said costs. Any such revisions of the annual facility charge provided for first above in Section II of Part A of this rate schedule shall be by agreement between Jackson Energy Authority and TVA.

PART B--CHARGES FOR OUTDOOR LIGHTING FOR INDIVIDUAL CUSTOMERS
Charges per Fixture Per Month

(a) <u>Type of Fixture</u>	<u>Lamp Size</u> <u>(Watt)</u>	<u>Rated</u> <u>(Lumens)</u>	<u>kWh</u>	<u>Facility</u> <u>Charge</u>
Mercury Vapor or Incandescent	175	7,650	70	\$2.63
	400	19,100	155	\$4.06
	1,000	47,500	378	\$5.86
High Pressure Sodium	100	8,550	42	\$3.49
	250	23,000	105	\$4.89
	400	45,000	165	\$6.94

(b) Energy Charge: For each lamp size under (a) above, 6.500¢ per rated kWh per month

Additional Facilities

The above charges in this Part B are limited to service from a photoelectrically controlled standard lighting fixture installed on a pole already in place. If the customer wishes to have the fixture installed at a location other than on a pole already in place, Jackson Energy Authority may apply an additional monthly charge.

Lamp Replacements

Replacements of lamps and related glassware will be made in accordance with replacement policies of Jackson Energy Authority without additional charge to the customer.

Special Outdoor Lighting Installations

When so authorized by policy duly adopted by Jackson Energy Authority's governing board, special outdoor lighting installations (other than as provided for under Parts A and B above) may be provided, owned, and maintained by Jackson Energy Authority's electric system. In such cases Jackson Energy Authority may require reimbursement from the customer for a portion of the initial installed cost of any such installation and shall require payment by the customer of monthly charges sufficient to cover all of Jackson Energy Authority's costs (except reimbursed costs), including appropriate overheads, or providing, owning, and maintaining such installations, and making lamp replacements.

Service is subject to Rules and Regulations of Jackson Energy Authority.